

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S117	3	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulats\$3 with extreme\$1 and DC with (element\$1 or component\$1 or voltage\$1 or offset) with compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:08
S118	30	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulats\$3 with extreme\$1 and DC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:47
S119	4	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulats\$3 with extreme\$1 and DC with compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:11
S120	3	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulats\$3 with extreme\$1 with DC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:11
S121	531	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or max\$7) and DC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:48
S122	190	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) and DC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:25
S123	13	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) with DC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:24
S124	0	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) with DC with compensat%4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:47
S125	0	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) and DC with compensat%4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:24

S12 6	36	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) and (DC adj2 (offset or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:34
S12 7	5	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) and (determin\$3 or measur\$5 or test\$3 or calculat\$3) with (DC adj2 (offset or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:27
S12 8	2	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) with DC with compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:49
S12 9	867	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulat\$3 with ((extreme\$1) or max\$7) and DC	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:48
S13 0	2	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulation with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) same DC with compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:49
S13 1	5	(determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulat\$3 with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) same DC with compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:50
S13 2	5	(determin\$3 or measur\$5 or test\$3 or calculat\$3 or find\$3) with modulat\$3 with ((extreme\$1) or ((maximiz\$5 or max\$4) and (minimiz\$5 or min\$4))) same DC with compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:51
S13 3	3	direct adj1 conversion with receiver and determin\$3 with modulat\$3 with (extreme\$1 or (maximum and minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:57
S13 4	3	direct adj1 conversion with receiver and (determin\$3 or measur\$5 or test\$3 or calculat\$3) with modulat\$3 with (extreme\$1 or (maximum and minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:57

S13 5	3	direct adj1 conversion with receiver and (determin\$3 or measur\$5 or test\$3 or calculat\$3) same modulat\$3 with (extreme\$1 or (maximum and minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 12:05
S13 6	1	direct adj1 conversion with receiver and (determin\$3 or measur\$5 or test\$3 or calculat\$3) same modulat\$3 with ((maximum and minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:59
S13 7	23	direct adj1 conversion with receiver and (determin\$3 or measur\$5 or test\$3 or calculat\$3) same modulat\$3 with ((maximum or minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:59
S13 8	8	direct adj1 conversion with receiver and (determin\$3 or measur\$5 or test\$3 or calculat\$3) same modulat\$3 with ((maximum or minimum)) and DC adj2 compensat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 11:59
S13 9	3	direct adj1 conversion with receiver and (determin\$3 or measur\$5 or test\$3 or calculat\$3 and find\$3) same modulat\$3 with (extreme\$1 or (maximum and minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 12:05
S14 0	23	direct adj1 conversion with receiver and modulat\$3 with (extreme\$1 or (maximum and minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 12:05
S14 1	18	direct adj1 conversion with receiver and modulat\$3 with (extreme\$1 or (maximum and minimum)) and DC adj2 (offset or compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 12:06
S14 2	3	direct adj1 conversion with receiver and modulat\$3 with (extreme\$1 or (maximum and minimum)) with DC adj2 (offset or compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 12:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5268916".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:31
L2	1	"5224112".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:31
L3	1	"20020071506".PN.	US-PGPUB	OR	ON	2005/07/11 14:32
L4	1	"6370205".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:32
L5	1	"5838735".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:32
L6	1	"5749051".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:32
L7	1	"5697085".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:33
L8	1	"5568520".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:33
L9	1	"5241702".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:33
L10	1	"5749051".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:34
L11	1	"5568520".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:34
L12	1	"5241702".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:34
L13	1	"4979230".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:34
L14	1	"4873702".PN.	USPAT; USOCR	OR	ON	2005/07/11 14:35
L16	19	((direct adj1 conversion with receiver) or (receiver)) and determin\$3 same modulat\$3 same (extreme or (maximum and minimum) or peaks) and invers\$3 adj1 filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 16:41
L17	46	((direct adj1 conversion with receiver) or (receiver)) and determin\$3 same modulat\$3 same (extreme or (maximum and minimum) or peaks or amplitudes) and invers\$3 adj1 filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:51
L18	171	((direct adj1 conversion with receiver) or (receiver)) and determin\$3 same modulat\$3 same (extreme or (maximum and minimum) or peaks or amplitudes) and DC with compensat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:52

L19	350	((direct adj1 conver\$4 with receiver) or single adje conver\$4 or Homodyne adj2 receiver) and determin\$3 same modulat\$3 same (extreme or (maximum and minimum) or peaks or amplitudes) and DC with compensat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:54
L20	222	((direct adj1 conver\$4 with receiver) or single adje conver\$4 or Homodyne adj2 receiver) and determin\$3 same modulat\$3 with (extreme or (maximum and minimum) or peaks or amplitudes) and DC with compensat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:54
L21	93	((direct adj1 conver\$4 with receiver) or single adje conver\$4 or Homodyne adj2 receiver) and determin\$3 with modulat\$3 with (extreme or (maximum and minimum) or peaks or amplitudes) and DC with compensat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:54
L22	5	((direct adj1 conver\$4 with receiver) or single adje conver\$4 or Homodyne adj2 receiver) and determin\$3 with modulat\$3 with (extreme or (maximum and minimum)) and DC with compensat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:55
L23	3	determin\$3 with modulat\$3 with extreme\$1 with DC with (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:59
L24	3	determin\$3 with modulat\$3 with extreme\$1 same DC with (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:59
L25	4	determin\$3 with modulat\$3 with extreme\$1 and DC with (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 15:04
L26	10	(determin\$3 or decid\$3 or calculat\$3 or measur\$3 or test\$3) with modulat\$3 with extreme\$1 and DC with (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 15:07
L27	226	(determin\$3 or decid\$3 or calculat\$3 or measur\$3 or test\$3) with extreme\$1 and DC with (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 15:07

L28	217	((direct adj1 conver\$4 with receiver) or single adje conver\$4 or Homodyne adj2 receiver) and (determin\$3 or decid\$3 or calculat\$3 or measur\$3 or test\$3) with extreme\$1 and DC with (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 15:08
L29	116	((direct adj1 conver\$4 with receiver) or single adje conver\$4 or Homodyne adj2 receiver) and (determin\$3 or decid\$3 or calculat\$3 or measur\$3 or test\$3) with extreme\$1 and DC adj2 (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 15:08
L30	11	((direct adj1 conver\$4 with receiver) or single adje conver\$4 or Homodyne adj2 receiver) with (determin\$3 or decid\$3 or calculat\$3 or measur\$3 or test\$3) with extreme\$1 and DC adj2 (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 15:08
L31	22	((direct adj1 conver\$4 with receiver) or single adje conver\$4 or Homodyne adj2 receiver) with (determin\$3 or decid\$3 or calculat\$3 or measur\$3 or test\$3) with extreme\$1 and DC with (offset or compensat\$4 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 15:09
S1	2	determin\$3 with modulat\$3 with extreme\$1 with DC with (element\$1 or component\$1 or voltage\$1 or offset) with offset with compensat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/11 14:58